



October 11, 2017

Dear Data User:

This dataset includes the analysis year 2015 inputs and outputs from the Air Quality Conformity Analysis completed in October 2017. The horizon year is 2040 and reflects the policies and projects adopted in the *GO TO 2040* Regional Comprehensive Plan Update.

The air quality analysis is completed twice annually, in the first quarter and the third quarter. The data associated with the analysis is named based on the year the analysis was completed (C17) and the quarter it was completed (Q1 or Q3). Therefore, the files in this dataset are referred to as C17Q3 data.

The analysis years for this conformity cycle include 2015, 2020, 2025, 2030 and 2040. We associate scenario numbers with the analysis years as shown below. You will notice the scenario numbers 100 – 600 referenced in many of the filenames or in headers within the files. The CMAP Data Sharing Hub includes one dataset for each of the analysis years.

2015 – 100
2020 – 200
2025 – 300
2030 – 400
2040 – 600

Resource Descriptions

Data Description C17Q3 2015 October 2017 (Data_Description_C17Q3_100_October_2017.pdf)

This .pdf describes the contents of the files within the dataset.

Trip Generation C17Q3 2015 Spreadsheet October 2017 (tg_c17q3_100.xlsx)

This is an Excel workbook containing the trip generation inputs and outputs by trip generation zone, the most disaggregate modeling geography. The trip generation zone id is subzone09. The information can be linked to the trip generation zone shapefile, described later, via the variable subzone09. This file includes a number of variables related to low and high income workers. The definition of a low income worker for our purposes is a worker who earns less than the regional median income. A high-income worker earns more than the regional median income. The variables are defined this way:

subzone	Trip generation zone
fips	Census county code
cnty_name	County name
state	Illinois, Wisconsin, or Indiana, because the modeled region covers multiple states
puma1	1% PUMA ID
puma5	5% PUMA ID
zone09	Traffic analysis zone that the subzone is aggregated up to
chicago	Flag for “in Chicago”: 1=yes, 0=no

cbd	Flag for "in Chicago CBD": 1=yes, 0=no
row_column	Area of the region: 1=inner Chicago, 2=outer and inner suburbs, 3=mid-suburban, 4=fringe and external area
area	Area of the subzone in square miles
households	Number of households
available vehicles per household	Average number of available vehicles per household
adults per household	Average number of adults per household
workers per household	Average number of workers per household
children per household	Average number of children per household
income quartile index	Ratio of the zonal average income to the regional median income
age of householder index	Average householder age code: 1=16-34, 2=35-64, 3=65+
pedestrian environment factor	Walkability index
military barracks pop	Persons in military barracks
college dorm pop	Persons in college/university dormitories
other gq pop age 16 to 64	Persons in other groups quarters age 16-64
other gq pop age 65 plus	Persons in other group quarters age 65 or older
retail employment	Zonal retail employment
total employment	Total zonal employment
hi income worker share	Percent of zonal workers who earn more than the regional median income
sum of non-home based productions	Non-home based productions
sum of non-home based attractions	Non-home based attractions
sum of home-based work low income productions	Home-based work low income productions
sum of home-based work high income productions	Home-based work high income productions
sum of home-based work low income attractions	Home-based work low income attractions
sum of home-based work high income attractions	Home-based work high income attractions
sum of home-based other productions	Home-based other productions
sum of home-based other attractions	Home-based other attractions
cmap	1=in CMAP region, 0=outside CMAP region

Trip Generation C17Q3 2015 Emme Matrices October 2017 (panda_c17q3_100.zip)

This compressed file contains 8 Emme format files of person trip productions and attractions which were imported and used as origin and destination totals for the trip distribution model. The source of this data is the trip generation outputs described previously, aggregated up to the traffic analysis zone system, zone09. These are ASCII text files in Emme batchin format. The information can be linked to the traffic analysis zone shapefile zone09, described later, via the zone number.

File Name	Contents	File Name	Contents
hwphi.in	Home-based work productions, high income	hwahi.in	Home-based work attractions, high income
hwplo.in	Home-based work productions, low income	hwalo.in	Home-based work attractions, low income
hop.in	Home-based other productions	hoa.in	Home-based other attractions
nhp.in	Non-home based productions	nha.in	Non-home based attractions

The production files have 3 lines of headers followed by "origin zone" "all:" "trips" in each of the remaining records.

The attraction files have 3 lines of headers followed by “all” “destination zone:” “trips” in each of the remaining records.

Distributed Trip Tables C17Q3 2015 October 2017 (trips_c17q3_100.zip)

This compressed file includes thirteen ASCII text file matrices in Emme batchin format. They include four rows of headers, with the remaining trip records formatted:

Origin D₁:Trips₁ D₂:Trips₂ D₃:Trips₃ D₄:Trips₄.

The CMAP network assignment process requires the truck vehicle trips (actual matrix contents) to be converted to vehicle equivalents. The factors used are b-plate and light trucks=1 vehicle equivalent, medium trucks=2 vehicle equivalents, and heavy trucks=3 vehicle equivalents.

Because of the unique way the transit network is coded, the transit trip tables cannot be assigned directly to the transit network. Please contact me if you need more information on this topic.

File Contents and Control Totals

Filename Format	Contents	2015
mf1.txt P/A	Home-based work auto person trips	5,769,250
mf2.txt P/A	Home-based other auto person trips	9,182,480
mf3.txt O/D	Non-home based auto person trips	5,502,285
mf4.txt O/D	B-plate Truck vehicle trips	1,748,335
mf5.txt O/D	Light Truck vehicle trips	281,672
mf6.txt O/D	Medium Truck vehicle trips	262,244
mf7.txt O/D	Heavy Truck vehicle trips	454,201
mf8.txt O/D	Auto Point of Entry vehicle trips	255,176
mf9.txt O/D	Truck Point of Entry vehicle trips	109,361
mf10.txt O/D	Airport Trip vehicle trips	69,528
mf14.txt (P/A)	Home-based work transit person trips	647,125
mf42.txt (P/A)	Home-based other transit person trips	579,515
mf43.txt O/D	Non-home based transit person trips	182,160

These totals existed within the model. Rounding of decimals while exporting may cause your totals to vary slightly.

Distributed Work Trip Tables C17Q3 2015 October 2017 (worktrips_c17q3_100.zip)

This folder contains the work trip details tables. The low and high income trip tables represent travel made by workers who earn below and above the regional median income. The individual trip tables sum to the totals for home based work auto and home based work transit trips shown in the previous section.

Name Format	Contents	2015
mf36.txt P/A	Home-based work total person trips, low income	3,147,590
mf37.txt P/A	Home-based work total person trips, high income	3,268,783
mf40.txt P/A	Home-based work transit person trips, low income	273,725
mf41.txt P/A	Home-based work transit person trips, high income	373,399
mf48.txt P/A	Home-based work auto person trips, low income	2,873,281
mf49.txt P/A	Home-based work auto person trips, high income	2,895,160

These totals existed within the model. Rounding of decimals while exporting may cause your totals to vary slightly.

Loaded Highway Networks C17Q3 2015 October 2017 (net_c17q3_100.zip)

This compressed file includes files named net.p1 – net.p8. These are ASCII format assigned Emme highway network files exported from the database for period 1 through period 8, denoted by the file extensions .p1 - .p8. Each network file consists of two parts. The first part is the node file, the second part is the link file. The time period we usually use the network for is shown in the header, although the network file itself has no consideration of the number of hours the period lasts. The period link capacity would be calculated during the modeling process using @emcap*lanes*hours in the period for each link.

I have also included a “daily” network that has all links (including both directions of reversible lanes) and an associated attribute table that has the daily assigned volume in vehicles.

The compressed file also contains files titled attribs.p1 – attribs.p8. These are ASCII format Emme extra attribute files for period 1 through period 8, denoted by the file extensions .p1 - .p8. The file format and contents of the networks and network extra attributes is presented on the following page.

The periods are defined:

Period 1: 8pm-6am	Period 2: 6am-7am	Period 3: 7am-9am	Period 4: 9am-10am
Period 5: 10am-2pm	Period 6: 2pm-4pm	Period 7: 4pm-6pm	Period 8: 6pm-8pm

Many people are interested in using the congested link travel times. The congested link travel times in minutes are included as “timau” in the extra attribute file. Use caution, however, as these times are raw model results. CMAP adjusts the arterial speeds before using them in the air quality analysis software. Also, you will notice that links with an i-node or j-node less than 2000 have the same congested times in all periods. These are centroid connectors and the travel time is based on distance, not on congestion.

Network and extra attribute file layout.

Network File contains two sections, nodes and links whose starts are marked by “t nodes init” and “t links init.”

t nodes init										
a*	1	686803	1905336	0	0	0	0001			
<i>* denotes centroid</i>	<i>node#</i>	<i>x-coord</i>	<i>y-coord</i>	<i>user1</i>	<i>user2</i>	<i>user3</i>	<i>node label</i>			
t links init										
a	1	15213	0.12	ASHThtmlb	1	1.0	6	0	0	0
<i>add link</i>	<i>inode</i>	<i>jnode</i>	<i>length mi.</i>	<i>modes</i>	<i>type</i>	<i>lanes</i>	<i>volume delay function</i>	<i>user1</i>	<i>user2</i>	<i>user3</i>

Extra Attribute File Contents

inode	jnode	@speed	@width	@parkl	@toll	@sigic	@tipid
1	15213	30	10	0	0	0	0
<i>inode</i>	<i>jnode</i>	<i>posted speed</i>	<i>lane width</i>	<i>parking allowed 0=no 1=yes</i>	<i>toll in dollars</i>	<i>signal interconnect 0=no 1=yes</i>	<i>links with a number or *** are links with TIP projects</i>

@ftime	@emcap	@avelw	@vadt	timau
0	0	10	375	3.5
<i>free flow travel time</i>	<i>capacity per lane per hour</i>	<i>average lane width</i>	<i>period assigned modeled volumes in vehicles</i>	<i>congested auto travel time in minutes</i>

Disregard the field titled “total,” which is meaningless and only results from the method of exporting the data.

Additional Description of Highway Link Variables

The following table provides information on how the network volume delay functions and modes are defined, as well as a little descriptive information about some of the additional network attributes.

<u>Modes</u>	<u>Volume Delay Function Codes</u>
A = generalized auto S = single occupant auto H = high occupancy auto T = general truck b = b-plate truck l = light truck m = medium truck h = heavy truck	1 = arterial street 2 = freeway 3 = freeway/expressway to arterial street 4 = expressway 5 = freeway/expressway to freeway/expressway ramp 6 = auto access to network 7 = link where toll is paid 8 = metered expressway entrance ramp
lanes = number of driving lanes parkl = number of parking lanes on link avelw, width = average width of link's driving lanes	ftime = uncongested travel time on link emcap = lane capacity at level of service E

AM Peak Loaded Highway Network C17Q3 2015 October 2017 (ampk_c17q3_100.zip)

This is a shapefile exported from the travel demand model software and contains the highway assignment results for the am peak (7-9am) traffic volumes in vehicles. These links are directional and the volumes in vehicles are contained in "data1". Coordinates are IL State Plane East, NAD27.

PM Peak Loaded Highway Network C17Q3 2015 October 2017 (pmpk_c17q3_100.zip)

This is a shapefile exported from the travel demand model software and contains the highway assignment results for the pm peak (4-6 pm) traffic volumes in vehicles. These links are directional and the volumes in vehicles are contained in "data1". Coordinates are IL State Plane East, NAD27.

Daily Highway Network C17Q3 2015 October 2017 (hwysph_c17q3_100.zip)

This is a shapefile exported from the travel demand model software and representing the daily assigned volumes. It includes all the links available throughout the day by direction. For example, both directions of the reversible lanes are included. Using node numbers as unique identifiers, the data attribute files from the loaded highway networks can be linked to this file. This file also includes daily link volumes by class, in vehicle equivalents. Coordinates are IL State Plane East, NAD27.

Vehicle class volumes are: @avauv – auto SOV vehicles, @avh2v – auto HOV 2 vehicles, @avh3v – auto HOV 3+ vehicles, @avbq – b-plate trucks, @avlqv – light trucks, @avmqv – medium trucks vehicle equivalents, @avhqv – heavy trucks vehicle equivalents

@vadt contains the sum of vehicle class vehicle equivalents converted to vehicles
(@avauv+@avh2v+@avh3v +@avbqv+@avlqv+(@avmqv/2)+(@avhqv/3)).

Transit and Highway Skims C17Q3 2015 October 2017 (transitskims_c17q3_100.zip)

This directory contains the zipped "level of service" matrix files used in the model run. They are in Emme batchin format text files and can be read by any text editor. The file contents are as follows, with 9999's indicating zonal interchanges not connected by transit in the transit matrices:

mf22.txt = indexed transit in-vehicle minutes (off-peak),
mf23.txt = indexed transit walk transfer minutes (off-peak),
mf24.txt = indexed transit total wait time x2 (off-peak)
mf25.txt = indexed transit peak headway x1.25 (off-peak)

mf26.txt = indexed transit priority mode (off-peak)
mf27.txt = indexed final average transit fare (off-peak)
mf842.txt = indexed transit in-vehicle minutes (peak)
mf843.txt = indexed transit walk transfer minutes (peak)
mf844.txt = indexed transit total wait time x2 (peak)
mf845.txt = indexed transit peak headway x1.25 (peak)
mf846.txt = indexed transit priority mode (peak)
mf847.txt = indexed final average transit fare (peak)
mf44.txt = AM peak (7-9am) skimmed highway time
mf45.txt = AM peak (7-9am) skimmed highway distance
mf46.txt = midday (10am-2pm) skimmed highway time
mf47.txt = midday (10am-2pm) skimmed highway distance
mf834.txt = indexing file (peak), see following
mf934.txt = indexing file (off-peak), see following

mf834, mf934: this is a zone indexing file needed to move transit trips to an “assignment” origin if a transit assignment is being undertaken.

Emme Peak Transit Network Shapefile C17Q3 2015 October 2017 (transit_pk_shp_c17q3_100.zip)

This file contains the shapefile of the AM peak period transit network exported from Emme. Coordinates are IL State Plane East, NAD27.

Emme Off-Peak Transit Network Shapefile C17Q3 2015 October 2017 (transit_op_shp_c17q3_100.zip)

This file contains the shapefile of the midday period transit network exported from Emme. Coordinates are IL State Plane East, NAD27.

Emme Transit Network Batchin C17Q3 2015 October 2017 (emme_tran_c17q3_100.zip)

This compressed file contains the Emme format modeled peak and off-peak transit network input files for the analysis year. Network_pk and network_op contain nodes and links for peak and off-peak. Itins_pk and itins_op are the transit route itineraries for peak and off-peak. Attribs_pk.txt and attribs_op.txt are segment variables for the transit itineraries for peak and off peak. Within attribs_pk.txt and attribs_op.txt, @ltime is the current scheduled time on the link. @hwytm is the modeled period auto travel time on the same link and @zfare is an attribute describing point where extra fares are charged.

Transit Network Codes

<u>Transit Route Modes</u>	<u>Access Modes</u>	<u>Transfer Modes</u>
A Generalized Auto	w from Origin to Metra	m between Bus/Metra
B CTA Regular Bus	v from Origin to CTA Rail	c between Bus/CTA Rail
E CTA Express Bus	u from Origin to Bus	b between Bus/Bus (except on-the-node transfers)
P Pace Regular		r between CTA Rail/CTA Rail
Q Pace Express	<u>Egress Modes</u>	t between CTA Rail/ Metra
L Pace Local	y CTA Rail to Destination	d between Metra/ Metra
C CTA Rail	z Metra to Destination	
M Metra Rail	x Bus to Destination	

Emme Databank C17Q3 2015 October 2017 (emmebank_c17q3_100.zip)

This is the final databank for the analysis year and was created with Emme version 4.2. It was zipped using 7zip software because of its large size. Most of the files described in this document are exported from the databank. If you have the software, you can either use the exported files or use the Emme databank directly.

Emme Databank Matrix Directory C17Q3 2015 October 2017 (emmemat_c17q3_100.zip)

The current version of Emme stores matrices externally from the Emme databank. This file contains the entire directory of matrices referenced by the Emme databank described previously. If the user is interested in using the Emme databank with its matrices, this file should be downloaded and uncompressed in the same directory as the databank. This has also been zipped using 7zip software.

Emme TOD Period Transit Network Batchin C17Q3 2015 October 2017 (emme_todtransit_c17q3_100.zip)

This compressed file contains the Emme format modeled transit network input files for each of the eight time of day periods for the analysis year. Rail.network_<period> and bus.network_<period> contain nodes and links. Rail.itinerary_<period> and bus.itinerary_<period> are the transit route itineraries. Railnode.extatt_<period> and busnode.extatt_<period> are node variables for the transit network. Within the node variable files, @pspace is the number of parking spaces and @pcost is the cost of parking in cents. Access.network_<period> contains transit network access links.

HOV Trip Tables C17Q3 2015 October 2017 (hovtrips_c17q3_100.zip)

This folder contains individual SOV and HOV trip details tables by purpose. Mf101, mf102, and mf103 contain home based work trips for SOV, HOV2 and HOV3+, respectively. Mf104, mf105, and mf106 hold home based other trips, and mf107, mf108, and mf109 hold non-home based trips.

Subzone 2009 Geography (Subzone09_CMAP_2009.zip)

Subzone09.zip contains the compressed subzone09 shapefile, which can be linked to the trip generation input files in each of the model year directories. It covers the entire modeled area. The coordinate system for this file is IL State Plane East, NAD 83 (feet)

Traffic Analysis Zone 2009 Geography (Zone09_CMAP_2009.zip)


The 2017 Q3 conformity used traffic analysis zone system Zone09. This can be linked to trip productions and attractions and distributed trip table information. This geography covers the entire modeled area. The coordinate system is IL State Plane East, NAD 83 (feet)

Current Roadway Volumes

Current ESRI shapefiles of roadway volumes can be downloaded by county from IDOT's website <http://apps.dot.illinois.gov/gist2/>. We do not have this data available pre-coded onto the roadway network.

I hope you find this information helpful. If you have any questions please don't hesitate to call me at 312-386-8744 or email me at cbozic@cmapp.illinois.gov.

Sincerely,



Claire Bozic
Senior Analyst